


VICES



CHANNEL MASTER VISES

MADE IN 3 SIZES—CAST IRON

- Steel Channel Bar Completely Covers Screw
- Smooth, Rigid Sliding Action
- Heavy Over Size Steel Parts
- Cast In Pipe Jaws
- Body Lacquered—Bright Steel Parts
- Over All Rust Proofing Finish
- Packed In Individual Corrugated Cartons

Cat. No.	Width of Jaw	Jaws Open	Pipe Jaws	Weight Each
143 1/2	3 1/2"	3 1/2"	1/8" x 1 1/2"	16 pounds
144	4"	4"	1/8" x 1 1/2"	20 pounds
145	5"	5"	1/8" x 2"	28 pounds


F.O.B. foundry at Littlestown, Pa.

LITTLESTOWN HARDWARE & FOUNDRY CO.


810 Broad Street

Newark, N. J.

LITTLESTOWN HARDWARE & FOUNDRY CO.




No. 1
Weight: 11¼ pounds.
Jaws: 1½ inches.
Packed 1 dozen to carton.
Cast iron construction.
Steel screws.




No. 25
Removable steel inserts in jaws.
Weight: 18 pounds.
Jaws: 3⅝ inches wide and open 4¼ inches.
Positive lock swivel.
Heavy steel sliding bar.
Removable pipe jaws.
Packed in individual corrugated boxes.




No. 2—2" JAW
No. 3—2½" JAW
Weight No. 2: 3½ lbs. each.
Weight No. 3: 6 lbs. each.
Length over all No. 2: 6½ inches.
Length over all No. 3: 8 inches.
Square cut steel screw thread.
Solid wrought steel sliding bar.
Packing:
No. 2—½ dozen in box.
No. 3—¼ dozen in box.



No. 140
Jaws: 4 inches wide and open 4 inches.
Removable pipe jaws.
Removable steel inserts in jaws.
Swivel base with positive lock.
Heavy steel screw with square cut thread.
Weight: 20 pounds.
Packed in individual corrugated boxes.



No. 750 Stationary base
No. 900 Swivel base
Made with both stationary and swivel base
Jaws: 3" wide
Solid cast iron and steel construction.
No. 750 Stationary, 8 lbs., Two to carton
No. 900 Swivel Base, 10 lbs. One to carton




No. 400
Removable steel inserts in jaws.
Jaws: 4⅞ inches wide and open 5 inches.
Lock swivel base.
Removable pipe jaws.
Weight: 28 pounds.
Packed in individual corrugated boxes.



No. 112
(Swivel Base)
Well constructed vise for general garage and household use.
Lock swivel base.
Removable steel inserts in jaws.
Jaws: 3½ inches.
Weight: 12 pounds.
Packed in individual corrugated boxes.

No. 450
Same as No. 400 except with jaws 4½" wide and weight 39 pounds.


LITTLESTOWN HARDWARE & FOUNDRY CO.



No. 166

HOUSEHOLD WOODWORKING VISE


Ideal for manual training and basement workshops.
Jaws $6\frac{1}{4}$ " wide; $3\frac{1}{2}$ " deep; open 5".
Steel screw and guides. Weight: $4\frac{1}{2}$ pounds.



No. 165

WOODWORKERS BENCH VISE


Adjustable clamp-on vise
Made of Cast iron with solid steel rod and screws
Jaws: 5" x $5\frac{1}{2}$ "; open $3\frac{1}{2}$ ".
Weight: 5 pounds each. Packed: individual carton



No. 198

WOODWORKERS' VISE

Front jaws 10" wide; with wood face;
open to 10".
Steel screw and guides.
Hardwood handle.
Weight 17 pounds.



No. 197

GENERAL PURPOSE WOODWORKERS VISE

Machine fit cast iron jaws, 7 x 4 inches, open to 7 inches. Sliding hardwood handle. Heavy steel sliding bars and screw. Individually boxed. Weight $8\frac{3}{4}$ pounds.



No. 199

MECHANICS WOODWORKING VISE

Heavy Construction

Jaws:

$6\frac{1}{2}$ " wide


4" clearance height

Open 10"

Complete steel and cast iron construction.

Steel tube handle.

Weight: 23 pounds.



"QUICK ACTION"

WOODWORKERS VISE

Constructed to meet the exacting requirements of skilled mechanics. Quick acting steel screw speeds up work. Fully machined jaws 10 x 4 inches, open to 10 inches.



Steel tube handle.

No. 200

Individually boxed.
Weight 23 pounds.

Malleable Iron PLUMBERS' PIPE VISES Broad Jaw Design

Long, one-piece, removable grooved, steel jaws permitting all styles of pipe to be held firmly with least possible damage. Self-locking latch.



No.	Size	Weight	Packing
52-C	$\frac{1}{8}$ x 2	7 $\frac{1}{2}$ pounds	One

No.	Size	Weight	Packing
51	$\frac{1}{8}$ x $1\frac{1}{4}$	3 $\frac{1}{2}$ pounds	One
52	$\frac{1}{8}$ x 2	5 $\frac{1}{2}$ pounds	One
53	$\frac{1}{8}$ x $2\frac{1}{2}$	8 $\frac{1}{2}$ pounds	One

